

Homecare Provider Integration Visit Import Guide (v5)



Legal

The software described in this document is furnished under a license agreement. The software may be used or copied only in accordance with the terms of the agreement. No part of this document may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopying and recording, for any purpose without the express written permission of Homecare Software Solutions, LLC (HHAeXchange). Information in this document may be revised from time to time without notice and is for informational purposes only. Consult with your legal advisor as to your required compliance with all laws and regulations.

Copyright ©2022 HHAeXchange. All rights reserved. 130 West 42nd Street, 2nd Floor, New York, NY 10036 Part number: Homecare EDI Import Interface Guide (v5)

Dogument Devicion History

Docum	ent Revision History
Date	Description of Revision
02/16/2021	Initial version of the document
03/01/2021	Updates to the Service Location field
3/31/2021	Added Sample CSV File
04/21/2021	Defined User Field 1 and 2; Clock In/Out Call Type Updated max character limit to Schedule ID to 30 characters.
05/11/2021	Updated description for the following fields: • Medicaid ID • Office NPI • Schedule ID • Service Location • Invoice Number • User Fields 1 & 2 (updated to Situational from Required)
06/18/2021	Updates to the Visit Edit Reason Code and Visit Edit Action Taken Code fields
06/30/2021	Updates to the Sample Template
09/01/2021	Update to Invoice Number and TPL Billing fields.
10/05/2021	Update to Submission Type and Clock In/Out Phone Number fields.
01/26/2022	Update to Diagnosis Code field.
02/23/2022	Update to Invoice Number field.
03/07/2022	Update to Caregiver License Number and Caregiver Registry ID fields.
03/30/2022	Update to Caregiver License Number and Caregiver Registry ID fields.
04/18/2022	Update to Member ID and Primary Payer Program Name fields.
05/24/2022	Updated description for the following fields: • User Field 1 & 2. • Schedule In/Out Times • Visit In/Out Times • EVV In/Out Times • EDI Rates (Total Billed Amount, Units Billed, and Billed Rate)
06/29/2022	Update to Caregiver SSN field.
11/21/2022	 Process update, see 'File Format Errors' on page 8. Update to Units Billed field.
01/25/2023	Defined User Field 4; Patient Admission ID.
04/03/2023	Defined User Field 5, Condition Codes. Updated description for the following fields: Schedule Start Time Schedule End Time Diagnosis Code
06/15/2023	Update to Diagnosis Code field, diagnosis examples updated.
07/28/2023	Updated EDI Support contact information.
09/19/2023	Revised the description for the "Clock-Out EVV Other Info" and "Submission Type" fields.
11/06/2023	Updated the Missed Visit Field Description and Introduced 'File Submission Schedule Guidelines' Table.
12/04/2023	Updated Office NPI field to Optional from Situational, and description.



Date	Description of Revision
04/05/2024	Update to TPL billing fields to support Primary and Secondary Payer.



Table of Contents

Introduction	1
Audience	1
EDI Assistance	1
Understanding the EDI Process	2
What is EDI?	2
Import Process Flow	2
SFTP & File Requirements	3
SFTP Client Configuration Requirements	3
SFTP Folder Structure	4
SFTP Retention Policy	4
Interface Summary	4
File Format	4
Response File Format	5
File Submission Schedule Guidelines	6
Required Components for Successful Import	7
Visit Naming Convention & File Extension	7
Saving Sample Templates to a Workstation	8
Response File Naming Convention & File Extension	8
Validating the File Format	9
EDI Import Interface - Required Fields and Formats	9
EDI Import	10



Introduction

The **HHAeXchange (HHAX) Homecare Import Interface Guide** provides guidance and instructions in preparing files for *importing* from an SFTP system or directly into the HHAX system. Herein users find the various interface templates indicating required fields and proper format for a successful import.

This guide is updated on an ongoing basis as system capacities are implemented and additional functionality becomes available.

Audience

This guide is intended for System Users responsible in the EDI importing process at a Client Agency.

EDI Assistance

If additional assistance is needed, please submit a ticket to the Provider EDI Integrations team via the <u>Client Support Portal</u>. Cases are escalated to the EDI Production Support queue. An available Support Team Members will contact you directly to assist.




Understanding the EDI Process

What is EDI?

Electronic Data Interchange (EDI) is the electronic interchange of business information using a standardized format; a process which allows one company to send information to another company electronically rather than with paper. Business entities conducting business electronically are called trading partners.

Import Process Flow

Client Agencies place a file in the SFTP Inbox to interchange data with HHAX. The image below illustrates the high-level process flow currently in place.





SFTP & File Requirements

Users need a Secure FTP client software to access their HHAX SFTP account. Any standard SFTP client software should be able to connect to the HHAX SFTP (such as *Filezilla*, *CuteFTP*, and *WINSCP*).

HHAX provides SFTP credentials once an Agency has validated their file format.




HHAeXchange does not endorse or technically support any particular 3rd Party software. Some examples and images used within this document are exclusively for demonstration purposes.

SFTP Client Configuration Requirements


The image to the right illustrates the configuration requirements to connect to the SFTP location.

- HOST/IP/URL: sftpprod.hhaexchange.com
- Username: Enter the Username received from HHAeXchange
- Password: Enter the password received from HHAeXchange
- Port: **2222**
- Connection: SSH/SFTP



SFTP Configuration Settings (Sample SFTP Application)

When transferring files via SFTP, select the **BINARY mode** in your FTP client application (sample from sample SFTP application shown to right).



Binary Mode in Advanced Settings (Sample)



SFTP Folder Structure

Folders are used to organize the files exchanged through SFTP as follows:

- **Inbox** Used to *import* a file into HHAX. Users can place files into the Inbox folder for automated import into the HHAX system.
- Outbox –For imports, the Response File for each import is placed in the Outbox in a subfolder (after processing) where users can view successful/unsuccessful files.

SFTP Retention Policy

The following guidelines address how long files are retained by HHAX before removal from the HHAX SFTP server.

- Files in Inbox folders are retained until successfully processed and moved to the *Processed* folder.
- All files size **50 MEGABYTES** or larger in the *Processed*, *Saved*, or *Outbox* SFTP folders are retained for **3 days**.
- All other files in the *Processed*, *Saved*, or *Outbox* SFTP folders are retained for **15 days**.

Interface Summary


The following table contains a brief description as well as direction and location of each Import interface.

Integration Guide				
Interface File	Direction	SFTP Folder	Description	
Visit Import	Import	Inbox	Creates/Updates imported information	
Response File	Response	Outbox\ResponseFiles	Folder to hold Response Files for processed files	

File Format

File Format			
File Type	CSV		
Text Qualifier	Double Quotes		
Headers are included?	Yes		
Delimiter for end of row	CRLF (Carriage Return/Line Feed)		

A tabbed text editor application (such as Notepad ++) visually organizes information allowing users to view data as well as hidden formats (such as double quotes and CRLF) to easily identify and correct errors.



Tabbed Text Editor Application (editor sample)



HHAX Homecare Import Interface File Information File Name and Frequency

Interface	SFTP Location	File Name	Frequency (SFTP Import Only)
Visit Import	Inbox	VISITS_AgencyTaxID_YYYYMMDDHHMMSS.CSV	As/when desired by Client

Note: To minimize errors and ensure system processes are running efficiently, HHAX requests for Agencies to upload the entire file (ALL records starting from go-live date) only on the initial load (first time). Thereafter, all future import files should <u>only</u> contain incremental changes.

Response File Format

File Format		
Status Code	Status code indicating record status.	
Import Status	The description of the status code.	

Note: The Response File contains each field in the Visit Import specs, along with the two additional fields noted above.



File Submission Schedule Guidelines

The table below outlines guidelines for establishing an effective file submission schedule, considering variables such as file size and the unique record count per file. To ensure efficient processing, it is recommended to maintain a file size of fewer than 2000 records per file. These recommendations are applicable to the total number of records submitted within a single day.

Count of Records per File	Approx Processing Time	Recommended Time
0 – 1,000	1 hour	Before 2am for non-UPR
		Before 2am for UPR
1,000 – 3,000	1 hour - 2.5 hours	Before 1am for non-UPR
		Before 1am for UPR
3,000 – 5,000	2.5 hours - 7 hours	Before 8am for non-UPR
		Before 7am for UPR
5,000 – 10,000	7 hours - 15 hours	Before 5 am for non-UPR
		Before 4 am for UPR
10,000 – 20,000	> 20 hours	Before 8 am for non-UPR
		Before 7 am for UPR
20,000 – 40,000	> 48 hours	Before 3 am for non-UPR
		Before 2 am for UPR
40,000+	> 54 - 65 hours	Before 3 am for non-UPR
		Before 2 am for UPR

^{*}Note: for both UPR and non-UPR, e-billing export processing runs daily at 4am EST.



Required Components for Successful Import

The below-listed components are required when importing files to HHAX. Although these components are the essential requirements, there are some variations depending on the type of data Users are exporting/importing. This section covers each of the required components with the necessary tools and information to assist with the data interchange process.

- Naming Convention and File Extension (.csv)
- Required Fields must be completed
- File Format Template

Visit Naming Convention & File Extension

The table below indicates the File type and the File Name (as per naming convention) for files imported by HHAX. This naming convention is applicable to all import files, as noted in the table below.

Naming Convention Requirements		
File Type	File Name	
Visit Import	VISITS_AgencyTaxID_YYYYMMDDHHMMSS.CSV	

To elaborate, the following example explains the naming convention:

If Tax ID is "987654321" and the file is generated on 07/31/2018 at 8:00 AM, the file name is:

File Name: VISITS_987654321_20180731080000.CSV

VISITS = Hardcoded

987654321 = Agency Tax ID


20180731 = Date in YYYYMMDD format **080000** = Time Stamp in HHMMSS format

All files must be saved as a ".csv" (extension) file. The system is not able to process or convert any other type of data file.



Saving Sample Templates to a Workstation

By default, these files open in Excel, which may alter the format of certain fields. To maintain the integrity of the sample templates and formats, HHAX strongly recommends that these templates be saved on a User's workstation first using the following steps:



Response File Naming Convention & File Extension

The table below indicates the File type and the File Name (as per naming convention) for files processed by HHAX. This naming convention is applicable to all processed files, as noted in the table below.

Response File Naming Convention		
File Type	File Name	
Visit Import Log	VISITS_AgencyTaxID_YYYYMMDDHHMMSS_Log.CSV	

File Name: VISITS 987654321 20180731080000 Log.CSV

VISITS = Hardcoded

987654321 = Agency Tax ID


20180731 = Date in YYYYMMDD format **080000** = Time Stamp in HHMMSS format

Log = Hardcoded



Validating the File Format

Upon creating an import file, navigate to the <u>HHAX File Format Validation Portal</u>
(https://edi.hhaexchange.com/) to validate and ensure the structural correctness and formatting requirements. For instructions, refer to the EDI File Format Validation Portal Job Aid.



File Format Errors

Import files that do not meet formatting requirements are moved to the SFTP Outbox, Failed subfolder. HHAX strongly recommends daily/weekly monitoring to prevent disruptions in data upload. The File Validator Tool can be used to correct file formatting errors.

The Provider File Validation Errors Job Aid can also be referenced to resolve common file formatting errors, refer to the <u>Provider File Validation Errors Job Aid.</u>

For additional support, please contact HHAX Technical Support with the file name and subject, 'File Processing Error'.

EDI Import Interface - Required Fields and Formats

Refer to the **Required Fields by Import File Type** section in the applicable (regional) **EDI Code Table Guide** for the set of required fields for each of the above-listed import file types.



EDI Import

Refer to the layout below when creating the EDI Import file. Please contact HHAX Technical Support to obtain a copy of the *EDI Code Table Guide*, specific your Payer(s). This guide contains valid values for certain EDI import fields as indicated below.

^Optional: These fields may be used by the State when evaluating compliance with the 21st Century Cures Act (Cures Act) regulations. The Cures Act mandates that states require EVV use for Medicaid-funded Personal Care Services (PCS) and Home Health Care Services (HHCS) for in-home visits by a provider. For further information, please consult with your states' specific compliance requirements regarding the Cures Act.

EVV Visit Import

Sample Template: Click **EDI Import**

Save the *.CSV file on your computer, and Open the file using a text editor (such as Notepad) to preserve the formats for each field. Refer to the <u>Saving Sample Templates to a Workstation</u> section.

Field	Description	Data Type	Required	Max Length	Cell
Agency Tax ID	Tax ID of the Agency	Num eric	Required	10	Α
Office NPI	Agency Office NPI Required When: if service code does not require an authorization and is configured for auto-placement. Refer to the EDI Code Table Guide for your specific Payer(s). • The NPI should match the NPI assigned to the member office loaded in HHAeXchange. If the incorrect NPI, this could result in an error. Note, this field is an optional field and can be left blank.	Num eric	Situational	20	В
Payer ID	Unique MCO/Payer Identifier. Refer to the values defined in the EDI Code Table Guide.	Num eric	Required	10	С
Medicaid Number	Member identifier - Medicaid Number Format should be alphanumeric with no special characters.	Text	Situational	50	D
Member First Name	First name of member.	Text	Optional	50	Е
Member Last Name	Last name of member.	Text	Optional	50	F
Member ID	Unique member ID in agency system. Required when: If not using Medicaid Number Possible values: HHAeXchange Unique ID Admission ID MR Number	Text	Situational	50	G
Caregiver Code	Unique ID of the Caregiver in Agency's Management System. This value is mapped to Alt Caregiver Code field within HHAX. The predefined value "TEMP" can be included to indicate that there is no Caregiver currently assigned to a schedule. This is allowed only if the visit is not yet verified.	Text	Required	20	Н
Caregiver Registry ID	Unique employee (Caregiver) registered ID with the State. Field is not required for all Payer(s). Refer to the EDI Code Table Guide for your specific Payer(s).	Text	Optional	20	I



	EVV Visit Import				
	Caregiver State registered license number.				
Caregiver License Number	Required when: If visit is confirmed or billed.	Text	Situational	20	J
	Field is not required for all Payer(s). Refer to the EDI Code Table Guide for your specific Payer(s). Caregiver's First Name				
Caregiver First Name	Required when: If the visit is confirmed or billed status. Situational when: The visit is in a scheduled status, a	Text	Situational	50	K
caregiver riist italiie	predefined value "TEMP" can be included to indicate that there is no Caregiver currently assigned to a schedule. This is allowed only if the visit is not yet verified.	TEXE	Situational	30	K
	Caregiver's Last Name Required when: If the visit is confirmed or billed status.				
Caregiver Last Name	Situational when: The visit is in a scheduled status, a predefined value "TEMP" can be included to indicate that there is no Caregiver currently assigned to a schedule. This is allowed only if the visit is not yet verified.	Text	Situational	50	L
	Possible Values: M (Male), F (Female), or U (Undefined).				
Caregiver Gender	 If the value is not provided, then "M" is considered the Gender when creating a Caregiver. HHAX recommends sending data in this field. If the value is not provided, then the existing value of Gender is not removed if the Caregiver already exists in HHAX. 	Text	Optional	1	M
	 If the value is provided, then the Caregiver Gender is overwritten in HHAX. 				
Caregiver Date of Birth	Format: YYYY-MM-DD If the value is not provided, then '1901-01-01' is loaded into this field in Caregiver Profile when creating a Caregiver. If the value is not provided, then the existing value of Date of Birth is not removed if the Caregiver already exists in HHAX. If the value is not empty, then the Caregiver Date of	Date	Optional	10	N
	Birth is overwritten in HHAX.				
Caregiver SSN	Social Security Number Required when: If the visit is confirmed or billed status. Format: XXX-XX-XXXX; OR Format: 000-0X-XXXX if providing the last 5 digits of the caregiver SSN.	Text	Situational	11	0
	Note : if you're unable to send the caregiver SSN please submit a ticket to the Provider EDI Integrations team via the Client Support Portal for further guidance.				
Caregiver Email	Employee (Caregiver) Email Note: If blank, then HHAX sends default value of missingemail@altevv.ddd.	Text	Optional	100	Р
	Unique Schedule ID in Agency's Management System.				
Schedule ID	The Schedule ID should be unique per Member, DOS, Procedure Code and Shift. If the visit crosses multiple calendar days, a unique Schedule ID per calendar day is required.	Text	Required	30	Q
Visit ID	Unique Visit ID in Agency's Management System.	Text	Optional	50	R
	- · · · · · · · · · · · · · · · · · · ·		<u> </u>		



	EVV Visit Import				
Procedure Code	Billing Service Code If the schedule already exists in HHAX, then the Billing Service Code is overwritten (if visit is not billed in HHAX). Refer to the values defined in the EDI Code Table Guide.	Text	Required	50	S
Diagnosis Code	Patient diagnosis code(s) attributed to the visit. Required when: If visit is confirmed or billed. Format: Pipe () separated list of the DX codes; for example: F84.0 B19.10 M87.059. • Field must be alpha numeric and contain up to 3-7 characters (including the decimal), special characters are not allowed. • Up to 26 Diagnosis Codes can be passed for a single record. • Field must contain valid/billable codes. If invalid codes are received, the sender is responsible for corrections. Field is not required for all Payer(s). Refer to the EDI Code Table Guide for your specific Payer(s).	Text	Situational	208	т
Schedule Start Time	Schedule Start Time - YYYY-MM-DD HH:MM as per Agency's Timezone, time must be in military time. If the schedule already exists in HHAX, then the Schedule Start Time is overwritten (if visit is not billed in HHAX). Schedules are required to create visit in HHAX. For unscheduled visits, send actuals recorded for the visit Schedule Start/End Times. If the schedule already exists in HHAX, then the Schedule End Time is overwritten (if visit is not billed in HHAX). Note: if schedule hours are less than billed hours, the lesser will be billed. To avoid billing errors, send actuals recorded	Date /Tim e	Required	16	U
Schedule End Time	for the visit Schedule Start/End Times. Schedule End Time - YYYY-MM-DD HH:MM as per Agency's Timezone, time must be in military time. Schedules are required to create visit in HHAX. For unscheduled visits, send actuals recorded for the visit Schedule Start/End Times. If the schedule already exists in HHAX, then the Schedule End Time is overwritten (if visit is not billed in HHAX). Note: if schedule hours are less than billed hours, the lesser will be billed. To avoid billing errors, send actuals recorded for the visit Schedule Start/End Times.	Date /Tim e	Required	16	V
Visit Start Time	Required when: When "Visit End Time" OR "EVV End Time" is provided. Visit Start Time - YYYY-MM-DD HH:MM as per Agency's Timezone, time must be in military time. If Visit Start/End Time and EVV Start/End Time do not match, visit is considered manually confirmed/adjusted and visit edits are required. If a value is provided, then the schedule is confirmed with the start time provided. This field should have a value if the "EVV Start Time" is provided.	Date /Tim e	Situational	16	W



	If the value is not provided, then the existing value of				
	Visit Start Time in HHAX is removed.				
	Required when: When "EVV End Time" is provided.				
	Visit End Time - YYYY-MM-DD HH:MM as per Agency's Timezone, time must be in military time.				
Visit End Time	 If Visit Start/End Time and EVV Start/End Time do not match, visit is considered manually confirmed/adjusted and visit edits are required. If a value is provided, then the Schedule is confirmed with the End Time provided. If the value is not provided, then the existing value of 	Date /Tim e	Situational	16	X
	Visit End Time in HHAX is removed. EVV Time recorded if visit is confirmed via EVV.				
EVV Start Time	Format: YYYY-MM-DD HH:MM as per Agency's Timezone, time must be in military time. Required when: If visit is confirmed or billed. If a value is provided, then the Visit Start Time is marked as confirmed via EVV; otherwise, it is considered manually confirmed and Visit Edit Reason Code/ Visit Edit Action Taken become required. If the value is not provided, then the existing value of EVV Start Time in HHAX is removed.	Date / Time	Situational	16	Y
EVV End Time	 EVV Time recorded if visit is confirmed via EVV. Format: YYYY-MM-DD HH:MM as per Agency's Timezone, time must be in military time. Required when: If visit is confirmed or billed. If value is provided, then the Visit End Time is marked as confirmed via EVV; otherwise, it is considered manually confirmed and Visit Edit Reason Code/ Visit Edit Action Taken become required. If the value is not provided, then the existing value of EVV End Time in HHAX is removed. 	Date /Tim e	Situational	16	Z
Clock-In Service Location Address Line 1	Member Street Address Required when: If visit is confirmed or billed. Not required when visit is only scheduled. If the value is not provided, then the existing Service Location value in HHAX is removed.	Text	Situational	100	АА
Clock-In Service Location Address Line 2	Additional Member Street Address	Text	Optional	50	AB
Clock-In Service Location City	City	Text	Situational	50	AC
Clock-In Service Location State	State abbreviation	Text	Situational	2	AD
Clock-In Service Location Zip Code	Zip Code (5 or 9-digit format i.e., 12345). Format: 99999 OR 999999999	Text	Situational	9	AE
Clock-In Service Location Type	Possible values: Home or Community Required when : if visit is confirmed or billed. Field is not required for all Payer(s). Refer to the EDI Code Table Guide for your specific Payer(s).	Text	Situational	9	AF



	EVV Visit Import				
Clock-Out Service Location Address Line 1	Member Street Address Required when: If visit is confirmed or billed. Not required when visit is only scheduled. If the value is not provided, then the existing Service Location value in HHAX is removed.	Text	Situational	100	AG
Clock-Out Service Location Address Line 2	Additional Member Street Address	Text	Optional	50	АН
Clock-Out Service Location City	City	Text	Situational	50	Al
Clock-Out Service Location State	State abbreviation	Text	Situational	2	AJ
Clock-Out Service Location Zip Code	Zip Code (5 or 9-digit format i.e., 12345). Format: 99999 OR 999999999	Text	Situational	9	AK
Clock-Out Service Location Type	Possible values: Home or Community Required when : if visit is confirmed or billed. Field is not required for all Payer(s). Refer to the EDI Code Table Guide for your specific Payer(s).	Text	Situational	9	AL
Duties	Pipe () separated list of the duties; for example: 016 021 023 027 Duty codes can be prefixed by an asterisk ("*") to indicate task was attempted but refused by Member. e.g. 016 *021 023 Field is not required for all Payer(s). Refer to the EDI Code Table Guide for your specific Payer(s)	Text	Optional	1000	АМ
Clock-In Phone Number	Format: XXXXXXXXXX Required When: Caller ID - If Visit Start Time is confirmed by IVR Note: field should be left blank if valid phone number was not captured. If a value is provided, then it is considered an IVR confirmation, and this Phone Number is imported into HHAX. If the value is not provided, then the existing value of Clock-In Phone Number in HHAX is removed.	Num eric	Situational	10	AN
Clock-In Latitude	 Latitude - If Visit Start Time is confirmed by GPS If a value is provided, then it is considered a GPS confirmation and the Latitude is imported into HHAX. If the value is not provided, then the existing value of Clock-In Latitude in HHAX is removed. 	Text	Situational	50	АО
Clock-In Longitude	 Longitude - If Visit Start Time is confirmed by GPS If a value is provided, then it is considered a GPS confirmation and the Latitude is imported into HHAX. If the value is not provided, then the existing value of Clock-In Longitude in HHAX is removed. 	Text	Situational	50	АР
Clock-In EVV Other Info	 Possible Value: FOB If Visit Start Time is confirmed by fixed ID device gathered at checkout. If the value is not provided, then the existing value of Clock-In EVV Other Info in HHAX is removed. 	Text	Situational	25	AQ
Clock-Out Phone Number	Format: XXXXXXXXXX Required When: Caller ID - If Visit End Time is confirmed by IVR.	Num eric	Situational	10	AR



	EVV Visit Import				
	Note: field should be left blank if valid phone number was not captured.				
	 If a value is provided, then it is considered an IVR confirmation, and this Phone Number is imported into HHAX. If the value is not provided, then the existing value of Clock-Out Phone Number in HHAX is removed. 				
	Latitude - If Visit End Time is confirmed by GPS				
Clock-Out Latitude	 If a value is provided, then it is considered a GPS confirmation and the Latitude is imported into HHAX. If the value is not provided, then the existing value of Clock-Out Latitude in HHAX is removed. 	Text	Situational	50	AS
	Longitude - If Visit End Time is confirmed by GPS				
Clock-Out Longitude	 If a value is provided, then it is considered a GPS confirmation and the Latitude is imported into HHAX. If the value is not provided, then the existing value of Clock-Out Longitude in HHAX is removed. 	Text	Situational	50	AT
	Possible Value: FOB				
Clock-Out EVV Other Info	 If Visit Start Time is confirmed by fixed ID device gathered at checkout. If the value is not provided, then the existing value of Clock-Out EVV Other Info in HHAX is removed. 	Text	Situational	25	AU
Invoice Number	 Required when: If visit is billed. Visits must be invoiced in accordance with Payer specific billing requirements noted in the Payer Companion Guide. If a value is provided, then it is considered a Billed Visit in the Agency Management System. This invoice number is imported into HHAX and the visit is billed in HHAX via the overnight process. If the value is empty, then the visit is not billed in HHAEXchange. Note: This field is exported on the 837 in the CLM line and returned in the 835 CLP line. 	Text	Situational	20	AV
	Required when: If visit is manually edited. If the value is not provided, then the existing value of Reason in HHAX is not removed.				
Visit Edit Reason Code	Visit Edit Reason Code will be required if EVV and Visit Start/End Times are different than EVV Start/End Times.	Num eric	Situational	3	AW
	Refer to the values defined in the EDI Code Table Guide. Required when: If visit is manually edited.				
Visit Edit Action Taken	If the value is not provided, then the existing value of Action Taken in HHAX is not removed.	Num eric	Situational	2	AX
	Visit Edit Action Taken Code will be required if EVV and Visit Start/End Times are different than EVV Start/End Times.				



	EVV Visit Import				
	Refer to the values defined in the EDI Code Table Guide.				
Visit Edit Made By	Required when: If a visit is manually edited. Visit edits require the unique identifier of the user, system, or process that made the edit to the visit. Note: If blank, then HHAX sends default value of "Agency User".	Text	Situational	100	AY
Notes	Free Text Notes - Data in this field is imported as Visit Notes. If the value is not provided, then the existing value of Notes in HHAX is not removed. A Note may be required by the Payer when Missed Visit = "Y". Refer to the EDI Code Table Guide (Missed Visit Code Tables section) for further details.	Text	Optional	1000	ΑZ
Is Deletion	 Possible Values: Y (Yes) or N (No) A null value is considered as "N". Ignored if the Visit is confirmed and claim is billed. If the value is "Y", then the Visit is deleted from HHAX if not billed. Visit is identified based on Schedule ID and Medicaid Number. 	Text	Optional	1	ВА
Invoice Line-Item ID	Unique identifier of the invoice line item in the 3rd party system. Note: This field should be left blank unless vendor is specifically requested by HHAX to provide this information.	Text	Optional	30	ВВ
Total Billed Amount	Billed amount in Agency's Management System. Required when: If visit is sent as original, adjusted, or voided. To avoid billing errors, visits must be billed in accordance with Payer specific billing requirements noted in the Payer Companion Guide. If value is not provided, rates can be managed in provider portal.	Num eric	Situational	9	ВС
Units Billed	 Units billed in Agency's Management System. Required when: If visit is sent as original, adjusted, or voided. Note: This field must contain whole unit values, cannot contain decimals. To avoid billing errors, visits must be billed in accordance with Payer specific billing requirements noted in the Payer Companion Guide. If value is not provided, rates can be managed in provider portal. 	Num eric	Situational	2	BD
Billed Rate	Hourly contractual or employee bill rate. Required when: If visit is sent as original, adjusted, or voided. If value is not provided, rates can be managed in provider portal.	Num eric	Situational	9	BE



Possible Values: Original, Adjustment, or Void Required when: • Original: If hours or billed amount needs to be adjusted/corrected and claim has not been paid. • Void: If visit needs to be deleted/reversed. • Void: If visit needs to be excluded from a claim when sent as an adjustment. Required when: If visit is adjusted or voided. TRN Number TRN Is not required if claim is billed as Original. Possible Values: Y/N Enable Secondary Billing Required when: If secondary billing, Required when: If secondary billing is reabled. Other Subscriber ID Required when: If secondary billing is reabled. Other Subscriber ID Primary Payer Name Primary Payer Medical when: If secondary billing is reabled. Required when: If secondary billing is reabled to both payer 1 and Payer 2. Primary Payer Name Required when: If secondary billing is reabled to both payer 1 and Payer 2. Possible Values: • 01 (Spouse) • 18 (Self) • 03 as separator for entries related to both Payer 1 and Payer 2. Primary Payer Policy or Group number Primary Payer Policy or Payer 1 and Payer 2. Primary Payer Policy or Payer 1 and Payer 2. Primary Payer Policy or Payer 1 and Payer 2. Primary Payer Policy or Payer 1 and Payer 2. Primary Payer Policy or Payer 1 and Payer 3. Primary Payer Policy or Payer 1 and Payer 3. Primary Payer Policy or Payer 1 and Payer 3. Primary Payer Policy or Payer 1 and Payer 4. Possible Values: Primary Payer Policy or Payer 1 and Payer 4. Possible Values: Primary Payer Policy or Payer 1 and Payer 5. Required when: If secondary b		EVV Visit Import				
TRN Number TRN is not required if claim is billed as Original. Text Situational 20 BG	Submission Type	 Required when: Original: If hours or billed amount needs to be adjusted/corrected and claim has not been paid. Adjustment: If hours or billed amount needs to be adjusted/corrected. Void: If visit needs to be deleted/reversed. Note: "Is Deletion" should be set to 'Y' if a visit is voided or if the visit needs to be excluded from a claim when sent as an 	Text	Situational	20	BF
Enable Secondary Billing Required when: If secondary billing is enabled. Text Optional 0 1 BH Required when: If secondary billing is enabled. Other Subscriber ID Vinique MCO/Payer Identifier. Required when: If secondary billing is 'Y'. Text Situational 161 80 BI Primary Payer ID Required when: If secondary billing is 'Y'. Text Situational 121 18 BI Primary Payer Name Required when: If secondary billing is 'Y'. Pormat: Pipe (1) as a separator for entries related to both Payer 1 and Payer 2. Payer 1 and Payer 2. Payer 1 and Payer 2. Primary Payer Policy or Group of Situational 121 Situational 121 </td <td>TRN Number</td> <td>Required when: If visit is adjusted or voided.</td> <td>Text</td> <td>Situational</td> <td>20</td> <td>BG</td>	TRN Number	Required when: If visit is adjusted or voided.	Text	Situational	20	BG
Primary Payer ID Required when: If secondary billing is 'Y' Primary Payer Name Required when: If secondary billing is 'Y' Format: Pipe () as a separator for entries related to both Payer 1 and Payer 2. Relationship to Insured Required when: If secondary billing is 'Y' Format: Pipe () as a separator for entries related to both Payer 1 and Payer 2. Relationship to Insured Required when: If secondary billing is 'Y' Format: Pipe () as a separator for entries related to both Payer 1 and Payer 2. Possible Values: • 10 (Spouse) • 18 (Self) • 19 (Child) • 68 (Other) Primary Payer Policy or Group number Primary Payer Policy or Homat Pipe () as a separator for entries related to both Payer 1 and Payer 2. Primary Payer Program Name Primary Payer Program Power Pormat: Pipe () as a separator for entries related to both Payer 1 and Payer 2. Primary Payer Program Power Power Payer 1 and Payer 2. Primary Payer Program Power Payer 1 and Payer 2. Possible Values: Plan Type Plan Type Possible Values: Plan Type Power But () as a separator for entries related to both Payer 1 and Payer 2. Possible Values: Possible Values: Plan Type Power But () as a separator for entries related to both Payer 1 and Payer 2. Required when: If secondary billing is 'Y' Format: Pipe () as a separator for entries related to both Payer 1 and Payer 2. Required when: If secondary billing is 'Y' Format: Pipe () as a separator for entries related to both Payer 1 and Payer 2. Required when: If secondary billing is 'Y' Format: Pipe () as a separator for entries related to both Payer 1 and Payer 2. Required when: If secondary billing is 'Y' Format: Pipe () as a separator for entries related to both Payer 1 and Payer 2. Required when: If secondary billing is 'Y' Format: Pipe () as a separator for entries related to both Payer 1 and Payer 2.	Enable Secondary Billing	Checkbox to enable secondary billing.	Text	Optional	1	ВН
Required when: If secondary billing is 'Y' Primary Payer Name Required when: If secondary billing is 'Y' Format: Pipe (I) as a separator for entries related to both Payer 1 and Payer 2. Relationship to Insured Relationship to Insured Required when: If secondary billing is 'Y' Format: Pipe (I) as a separator for entries related to both Payer 1 and Payer 2. Possible Values: • 01 (Spouse) • 18 (Self) • 19 (Child) • G8 (Other) Required when: If secondary billing is 'Y' Format: Pipe (I) as a separator for entries related to both Payer 1 and Payer 2. Primary Payer Policy or Group number Primary Payer Program Name Primary Payer Program Name Required when: If secondary Payer Name Format: Pipe (I) as a separator for entries related to both Payer 1 and Payer 2. Required when: If secondary billing is 'Y' Format: Pipe (I) as a separator for entries related to both Payer 1 and Payer 2. Possible Values: Plan Type • BL (Blue Cross/Blue Shield) • CH (Champus) • MB (Medicaid) Total Paid Amount Total Paid Amount in EOB from primary Payer. Required when: if secondary billing is 'Y' Format: Pipe (I) as a separator for entries related to both Payer 1 and Payer 2. Required when: if secondary billing is 'Y' Format: Pipe (I) as a separator for entries related to both Payer 1 and Payer 2. Required when: if secondary billing is 'Y' Format: Pipe (I) as a separator for entries related to both Payer 1 and Payer 2. Required when: if secondary billing is 'Y' Format: Pipe (I) as a separator for entries related to both Payer 1 and Payer 2. Reserved for Future Use Total Paid Units in EOB from primary Payer. Required when: if secondary billing is 'Y' Format: Pipe (I) as a separator for entries related to both Payer 1 and Payer 2.	Other Subscriber ID	Required when: If secondary billing is 'Y'.	Text	Situational	80	ВІ
Required when: If secondary billing is "Y" Format: Pipe () as a separator for entries related to both Payer 1 and Payer 2.	Primary Payer ID		Text	Situational	161	BJ
Relationship to Insured Pormat: Pipe () as a separator for entries related to both Payer 1 and Payer 2. Possible Values: • 01 (Spouse) • 18 (Self) • 19 (Child) • 68 (Other) Primary Payer Policy or Group number Primary Payer Policy or Payer 1 and Payer 2. Primary Payer Program Name Primary Payer Program Port Popt of Pormat: Pipe () as a separator for entries related to both Payer 1 and Payer 2. Plan Type Plan Amount in EOB from primary Payer. Required when: if secondary billing is 'Y' Format: Pipe () as a separator for entries related to both Payer 1 and Payer 2. Possible Values: Plan Type Plan Type Plan Type Plan Type Plan Type Required when: if secondary billing is 'Y' Format: Pipe () as a separator for entries related to both Payer 1 and Payer 2. Possible Values: Plan Type Plan Type Required when: if secondary billing is 'Y' Format: Pipe () as a separator for entries related to both Payer 1 and Payer 2. Required when: if secondary billing is 'Y' Format: Pipe () as a separator for entries related to both Payer 1 and Payer 2. Reserved for Future Use Total Paid Units Required when: if secondary billing is 'Y' Format: Pipe () as a separator for entries related to both Payer 1 and Payer 2. Required when: if secondary billing is 'Y' Format: Pipe () as a separator for entries related to both Payer 1 and Payer 2. Required when: if secondary billing is 'Y' Format: Pipe () as a separator for entries related to both Payer 1 and Payer 2. Required when: if secondary billing is 'Y' Format: Pipe () as a separator for entries related to both Payer 1 and Payer 2.	Primary Payer Name	Required when: If secondary billing is 'Y' Format: Pipe () as a separator for entries related to both	Text	Situational	121	ВК
Primary Payer Policy or Group number Format: Pipe () as a separator for entries related to both Payer 1 and Payer 2. Primary Payer Program Name Format: Pipe () as a separator for entries related to both Payer 1 and Payer 2. Primary and Secondary Payer Name Format: Pipe () as a separator for entries related to both Payer 1 and Payer 2. Required when: If secondary billing is 'Y' Format: Pipe () as a separator for entries related to both Payer 1 and Payer 2. Plan Type BL (Blue Cross/Blue Shield) CH (Champus) CI (Commercial Insurance Co.) MB (Medicare Part B) MC (Medicaid) Total Paid Amount in EOB from primary Payer. Required when: if secondary billing is 'Y' Format: Pipe () as a separator for entries related to both Payer 1 and Payer 2. Reserved for Future Use Total Paid Units in EOB from primary Payer. Required when: if secondary billing is 'Y' Format: Pipe () as a separator for entries related to both Payer 1 and Payer 2. Reserved for Future Use Total Paid Units in EOB from primary Payer. Required when: if secondary billing is 'Y' Format: Pipe () as a separator for entries related to both Payer 1 and Payer 2.	Relationship to Insured	Format: Pipe () as a separator for entries related to both Payer 1 and Payer 2. Possible Values: • 01 (Spouse) • 18 (Self) • 19 (Child)	Text	Situational	5	BL
Format: Pipe () as a separator for entries related to both Payer 1 and Payer 2. Required when: If secondary billing is 'Y' Format: Pipe () as a separator for entries related to both Payer 1 and Payer 2. Possible Values: Plan Type BL (Blue Cross/Blue Shield) CI (Commercial Insurance Co.) MB (Medicare Part B) MC (Medicaid) Total Paid Amount in EOB from primary Payer. Required when: if secondary billing is 'Y' Format: Pipe () as a separator for entries related to both Payer 1 and Payer 2. Reserved for Future Use Total Paid Units in EOB from primary Payer. Required when: if secondary billing is 'Y' Format: Pipe () as a separator for entries related to both Payer 1 and Payer 2. Required when: if secondary billing is 'Y' Format: Pipe () as a separator for entries related to both Payer 1 and Payer 2.		Required when: If secondary billing is 'Y' Format: Pipe () as a separator for entries related to both	Text	Situational	101	ВМ
Required when: If secondary billing is 'Y' Format: Pipe () as a separator for entries related to both Payer 1 and Payer 2. Possible Values: Plan Type BL (Blue Cross/Blue Shield) CH (Champus) CI (Commercial Insurance Co.) MB (Medicare Part B) MC (Medicaid) Total Paid Amount in EOB from primary Payer. Required when: if secondary billing is 'Y' Format: Pipe () as a separator for entries related to both Payer 1 and Payer 2. Reserved for Future Use Total Paid Units in EOB from primary Payer. Required when: if secondary billing is 'Y' Format: Pipe () as a separator for entries related to both Payer 1 and Payer 2. Reserved for Future Use Total Paid Units in EOB from primary Payer. Required when: if secondary billing is 'Y' Format: Pipe () as a separator for entries related to both Payer 1 and Payer 2.		Format: Pipe () as a separator for entries related to both	Text	Optional	161	BN
Total Paid Amount in EOB from primary Payer. Required when: if secondary billing is 'Y' Format: Pipe () as a separator for entries related to both Payer 1 and Payer 2. Reserved for Future Use Total Paid Units Required when: if secondary billing is 'Y' Format: Pipe () as a separator for entries related to both Payer 1 and Payer 2.	Plan Type	Required when: If secondary billing is 'Y' Format: Pipe () as a separator for entries related to both Payer 1 and Payer 2. Possible Values: BL (Blue Cross/Blue Shield) CH (Champus) CI (Commercial Insurance Co.) MB (Medicare Part B)	Text	Situational	5	во
Reserved for Future Use Total Paid Units in EOB from primary Payer. Total Paid Units Required when: if secondary billing is 'Y' Format: Pipe () as a separator for entries related to both Payer 1 and Payer 2.	Total Paid Amount	Total Paid Amount in EOB from primary Payer. Required when: if secondary billing is 'Y' Format: Pipe () as a separator for entries related to both		Situational	19	ВР
	Total Paid Units	Reserved for Future Use Total Paid Units in EOB from primary Payer. Required when: if secondary billing is 'Y' Format: Pipe () as a separator for entries related to both		Situational	23	BQ
	Paid Date	·	Date	Situational	19	BR



	EVV Visit Import				
	Required when: if secondary billing is 'Y' Format: Pipe () as a separator for entries related to both Payer 1 and Payer 2. Example: YYYY-MM-DD.				
Deductible	Deductible in EOB from primary Payer if available. Pipe () as a separator for entries related to both Payer 1 and Payer 2.	Num eric	*Situational (see notes below)	19	BS
Coinsurance	Coinsurance in EOB from primary Payer if available. Pipe () as a separator for entries related to both Payer 1 and Payer 2.	Num eric	*Situational (see notes below)	19	ВТ
Сорау	Copay in EOB from primary Payer if available. Pipe () as a separator for entries related to both Payer 1 and Payer 2.	Num eric	*Situational (see notes below)	19	BU
Contracted Adjustments	Contracted Adjustments in EOB from primary Payer if available. Pipe () as a separator for entries related to both Payer 1 and Payer 2.	Num eric	*Situational (see notes below)	19	BV
Not Medically Necessary	Not Medically Necessary in EOB from primary Payer if available. Pipe () as a separator for entries related to both Payer 1 and Payer 2.	Num eric	*Situational (see notes below)	19	BW
Non-Covered Charges	Non-Covered Charges in EOB from primary Payer if available. Pipe () as a separator for entries related to both Payer 1 and Payer 2.	Num eric	*Situational (see notes below)	19	вх
Max Benefit Exhausted	Max Benefit Exhausted in EOB from primary Payer if available. Pipe () as a separator for entries related to both Payer 1 and Payer 2.	Num eric	*Situational (see notes below)	19	ВҮ
Missed Visit	 Possible Values: Y (Yes) or N (No) A null value is considered as "N". If "Y", then the visit is marked as a 'Missed' Visit. If "N", then the Missed Visit is removed from HHAX if visit was previously marked as missed and schedule reappears (if the visit is not yet billed in HHAX). If the visit is already billed in HHAX, then this flag is ignored. If billing for Travel Time (TT), Missed Visit flag is required. 	Text	Situational	1	BZ
Missed Visit Reason Code	Required when: When Missed Visit = "Y" If the value is not provided, then the existing value of Reason in HHAX is not removed. Refer to the values defined in the EDI Code Table Guide.	Num eric	Situational	3	CA
Missed Visit Action Taken Code	Required when: When Missed Visit = "Y" If the value is not provided, then the existing value of Action Taken in HHAX is not removed. Refer to the values defined in the EDI Code Table Guide.	Num eric	Situational	2	СВ
Missed Visit Notes	Notes.	Text	Situational	1000	CC
Travel Time Request Hours	Format: HH:MM	Num eric	Optional	5	CD
Travel Time Comments	Notes.	Text	Optional	500	CE
Cancel Travel Time Request	Possible Values: Y (Yes) or N (No)	Text	Optional	1	CF



	EVV Visit Import				
	Possible Values: Y (Yes) or N (No)				
	A null value is considered as "N".				
Timesheet Required	 If the value is "Y", then the Duty Sheet is marked as Timesheet Required. If the value is not provided, then the existing value of Timesheet Required in HHAX is removed. 	Text	Optional	1	CG
	Possible Values: Y (Yes) or N (No)				
	A null value is considered as "N".				
Timesheet Approved	 If the value is "Y", then the Duty Sheet is marked as Timesheet Approved. If the value is not provided, then the existing value of Timesheet Approved in HHAX is removed. 	Text	Optional	1	СН
	Clock- In Call Type				
User Field 1	Required when: if visit is confirmed or billed. Possible Values: Telephony Mobile FOB Manual	Text	Situational	9	CI
User Field 2	Clock- Out Call Type				
	Required when: if visit is confirmed or billed. Possible Values: Telephony Mobile FOB Manual	Text	Situational	9	CJ
User Field 3	Unique Site ID Required when: if member is assigned to multiple offices in HHAX.	Text	Situational	8	СК
User Field 4	Patient Admission ID Required when: a member is dually enrolled with a health plan and has multiple accounts in HHAX.	Text	Optional	50	CL
User Field 5	Condition Codes Required when: If visit is adjusted or voided. Field is not required for all Payer(s). Refer to the EDI Code Table Guide for your specific Payer(s).	Text	Optional	2	СМ
User Field 6	Claim Filing Code Required when: if secondary billing is 'Y' Pipe () as a separator for entries related to both Payer 1 and Payer 2. Possible Values: 11 - Other Non-Federal Programs 12 - Preferred Provider Organization (PPO) 13 - Point of Service (POS) 14 - Exclusive Provider Organization (EPO) 15 - Indemnity Insurance 16 - Health Maintenance Organization (HMO) Medicare Risk 17 - Dental Maintenance Organization AM - Automobile Medical BL - Blue Cross/Blue Shield CH - Champus CI - Commercial Insurance Co. DS - Disability Fi - Federal Employees Program HM - Health Maintenance Organization	Text	Situational	5	CN



	EVV Visit Import				
	LM - Liability Medical				
	MA - Medicare Part A				
	MB - Medicare Part B				
	MC – Medicaid				
	OF - Other Federal Programs				
	TV - Title V				
	VA - Veterans Affairs Plan				
	WC - Workers' Compensation Health Claim				
User Field 7	Other Payer Paid Amount	Num	Situational	9	со
Osei Fielu /	Required when: if secondary billing enabled for Payer 2.	eric	Situational		CO
User Field 8	Field in layout for future use	Tout	Ontional	500	СР
User Field 8	Always empty	Text	Optional	500	CP
Hear Field O	Field in layout for future use	Tout	Ontional	F00	CO
User Field 9	Always empty	Text	Optional	500	CQ
User Field 10	Field in layout for future use	Tov+	Ontional	500	CD
	Always empty	Text	Optional	500	CR



Notes:

- Optional fields are not required. Situational fields are dependent on other fields and may be required
 according to the information in another field. For example, if a Missed Visit is marked as Y, then the Situational
 fields Missed Visit Reason Code and Missed Visit Action Taken Code are required.
- The last row is considered the latest data and is reflected in HHAX as such. This means values received in the latest record overrides the data in HHAX.
- The Schedule Start Time and Schedule End Time is updated with Visit Start Time and Visit End Time values if those fields have data in the file.
- **Visit Edit Reason Code** and **Visit Edit Action Taken** is required if visit is manually adjusted or if visit is missing EVV required fields. Note: if not provided, visit record will be rejected.
- **Clock-In Service Location** and **Clock-Out Service Location** is required if visit is confirmed or billed. Note: if not provided, visit record will be rejected.
- If Visit Start Time and Visit End Time is adjusted, then Schedule Start Time and Schedule End Time should be
 adjusted to avoid overlapping visits.

Notes for columns **BS to BY**: • *Situational: Total for these fields must add up to total billed amount if provided.